Machine Learning HW6

ML TAS

ntu-ml-2021spring-ta@googlegroups.com

Outline

- Task Introduction
- Dataset
- Submission
- Grading
- Hints
- Links


Task Introduction

Anime Face Generation



TODO

 Train your own anime face generator using Generative Adversarial Networks.



Dataset

Crypko



https://crypko.ai/#

Data Collections



Thanks to Arvin Liu for collecting this dataset.

Data Format

- The download link is in the sample code.
- Unzip **cripko_data.zip**, the data format is as below:
- faces/
 - o 0.jpg
 - 1.jpg
 - 0 ...
- Total 71314 .jpg files in a folder.
- DO NOT use any extra data and pretrained models.



Submission

JudgeBoi - Submission Format

- You should generate 1000 images, and name each image <number>.jpg
 - o e.g. **1.jpg, 2.jpg**, ... , **1000.jpg**
- Use tar to compress your images, and name the file with .tgz as extension.
 - o e.g. **images.tgz**
- The untarred files should not contain the folder.
- The compressing code is provided in the sample code.
- To create such a compressed file by yourself, follow the 2 steps below:
 - cd <the folder containing your generated images>
 - tar -zcvf ../images.tgz *.jpg
- The folder containing your generated images should **only contain 1000 images**.

JudgeBoi

- 5 submission quota per day, reset at midnight.
- Users not in whitelist will have no quota.
- Only *.tgz file is allowed, file size should be smaller than 2MB.
- The countdown timer on the homepage is for reference only.
- We do limit the number of connections and request rate for each ip. If you
 cannot access the website temporarily, please wait patiently.
- Please do not attempt to attack JudgeBoi, thank you.
- Every Wednesday and Saturday from 0:00 to 3:00 is our system
 maintenance time. If the website cannot be used during this time, please
 wait patiently for the completion of the maintenance.

JudgeBoi

- Since the evaluation metric in this homework requires GPU computation, the JudgeBoi server cannot serve too many submissions at the same time.
- Under normal circumstances, JudgeBoi will complete the evaluation within one minute. If pending conditions are encountered, it may be longer. Please wait patiently after you submit.
- However, if you have **waited more than two minutes** for the progress bar to finish, please **refresh the page and try to upload again**.
- Please DO NOT upload at the last minute; no one knows if you can upload successfully.

NTU Cool

- Upload your code to NTU Cool.
 - TAs will check your code if necessary.
- If you beat the boss baseline in JudgeBoi, you may submit a report named report.pdf to explain the method you use to obtain the extra 0.5 pt.


NTU Cool - Submission Format

- Zip your code and name the compressed file <student_id>_hw6.zip
 e.g. b06901234 hw6.zip
- Do not submit your model checkpoints and the dataset!!!
- Do not submit your generated images (images.tgz)!!!
- We can only see your **last submission** before the deadline.

Grading

Evaluation Metrics

- FID (Frechet Inception Distance) score
 - We use the FID score as one of the evaluation metrics.
 - The FID score assesses the similarity between two datasets of images, which is the lower the better in this task.



Evaluation Metrics

- AFD (anime face detection) rate
 - To detect whether an anime face is in a given image.
 - The detection rate is **the higher the beter.**

Grading (10pt + 0.5pt)

- Code 4 pt
- Simple Baseline 2 pt
 - o FID ≤ 30000 **AND** AFD ≥ 0.00
- Medium Baseline 2 pt
 - o FID ≤ 11800 AND AFD ≥ 0.43
- **Strong Baseline** 1 pt
 - FID \leq 9300 AND AFD \geq 0.53
- Boss Baseline 1 pt
 - FID ≤ 8200 AND AFD ≥ 0.68
- Bonus 0.5 pt
 - Submit a PDF report to explain your method (< 100 words in English) if you beat the Boss Baseline.

Regulation

- Do NOT submit the training data to JudgeBoi directly.
- Data Augmentation (shifting, flipping, ...,etc.) on training data is allowed, while it is **forbidden** to submit these processed images to JudgeBoi.

Regulation (cont'd)

- You should NOT plagiarize, if you use any other resource, you should cite it in the reference. (*)
- You should NOT modify the generated images manually.
- Do NOT share codes or generated images with any living creatures.
- Do NOT use any approaches to submit your results more than 5 times per day.
- Do NOT search or use additional data or pre-trained models.
- Your final grade x 0.9 if you violate any of the above rules.
- Prof. Lee & TAs preserve the rights to change the rules & grades.


(*) <u>Academic Ethics Guidelines for Researchers</u> by the Ministry of Science and Technology

Hints

DCGAN (Sample code)


- Weight initialization
- Generator
 - ConvTranspose + BatchNorm + ReLU
- Discriminator

Conv + BatchNorm + LeakyReLU




DCGAN

WGAN-GP



- Wasserstein GAN (WGAN)
 - Remove the last sigmoid layer from the discriminator.
 - Do not take the logarithm when calculating the loss.
 - Clip the weights of the discriminator to a constant.
 - Use RMSProp or SGD as the optimizer.
- Gradient penalty (GP)
 - Use gradient penalty instead of weight clipping.
 - Use Adam instead of RMSProp as the optimizer.



WGAN WGAN-GP

Spectral Normalization GAN (SNGAN)

- Discriminator
 - Perform spectral normalization on the weights of each layer.



Baseline Guide

- Simple
 - o Random submission
- Medium
 - DCGAN + WGAN
 - o 2~6 hr
- Strong
 - DCGAN + SNGAN
 - o 2~6 hr
- Boss
 - AutoGAN, BigGAN, Progressive GAN, Self-Attention GAN, StyleGAN, StyleGAN2
 - o 6~16 hr

Links

Links

• Colab

Deadline

- JudgeBoi deadline 2021/05/14 23:59:59
- Code submission 2021/05/16 23:59:59
- Late submissions are NOT accepted.

Contact TAs

- NTU COOL (recommended)
 - https://cool.ntu.edu.tw/courses/4793
- Email
 - o <u>ntu-ml-2021spring-ta@googlegroups.com</u>
 - The title **must** start with **[hw6]**
- TA hour
 - Each Friday in class